CLARIFICATIONS TO BIDDING DOCUMENTS No 2

COUNTRY: Republic of Bulgaria

PROJECT: "Municipal Infrastructure Development Project" Rehabilitation of Studena - Pernik PWTP (Supply and Installation of Equipment) CONTRACT: MIDP-CW-ICB-5

LOAN No: 7834-BG

ANSWERS TO QUESTIONS AND CLARIFICATIONS No 1

		Clause	Question/Clarification	Answer	Amend ment required
n	No.	No.			(yes/no)
No.					
1		Section I	In order to prepare and submit a detailed, qualitative	Extension of the deadline for bids submission is not	No
		Instruction to	and reliable offer, we politely and urgently address	acceptable to the Employer. The deadline for submission of	
		Bidders	you, based on ITB 22.2 from "Instruction to	bids is 10/05/2019 as per Addendum No 1 to this Bidding	
		ITB 22.2	Bidders" to extend the deadline for the submission	Documents.	
			of bids with minimum of 1 (one) month.		
2.		Section II.	Regarding Section II. Bid Data Sheet (BDS) - C.	Electrical-mechanical is considered all equipment according	No
		Bid Data Sheet	Preparation of Bids - ITB 11.1 (j) The Bidder	to the technical specification which includes both electrical	
		ITB 11.1	shall submit the following additional documents in	and mechanical processes.	
			its bid: Manufacturer Authorization forms for		
			electric-mechanical and measurement equipment -		
			Please clarify which equipment is considered		
			"electric-mechanical" and for which we have to		
			obtain Manufacturer Authorizations?		
3.		Regarding	Regarding Section II. Bid Data Sheet (BDS) - C.	The CD/D VD shall metade.	No
		Section II. Bid	Preparation of Bids - ITB 20.1 "In addition to the	1. One electronic copy must include all documents	

	Data Sheet	original of the bid, the number of copies is: 4 (four)	comprising the bid scanned from the signed hard copy in	
	ITB 20.1	hard copies and 2 (two) electronic copy on a	pdf format.	
		CD/DVD: 1 (one) in pdf format and 1 (one) in	2. One electronic copy must include all documents	
		Microsoft Word and/or Excel format" - which	comprising the bid in appropriate format:	
		forms/documents should contain the "Microsoft	– all bidding forms and schedules completed by the Bidder	
		Word and/or Excel" copy - there is some printed	in Microsoft Excel or Microsoft Word in order to secure the	
		literature and enclosed documents not applicable in	easy work of evaluation committee in checking the prices	
		Word/Excel. May this copy include only the Bid	and results;	
		forms, included in ITB?	- all other documents comprising the bid - in pdf.	
4.	Section II. Bid	Regarding Section II. Bid Data Sheet (BDS) - C.		No
	Data Sheet	Preparation of Bids - ITB 20.2 - The written	the bidder and this is proved by the company registration,	
	ITB 20.2	confirmation of authorization to sign on behalf of	there is no need of notary certified Power of Attorney.	
		the Bidder shall consist of: notary certified Power		
		of Attorney. In case that the signing person is the		
		legal representative of the bidder, there is no need		
		of notary certified Power of Attorney. Please		
		confirm.		
5.		Regarding price schedules:	All prices should be presented VAT included.	No
		- Price Schedule: Goods Manufactured Outside the		
		Purchaser's Country, to be Imported - COLUMN 9		
		- Should the VAT be included?		
		- Price Schedule: Goods Manufactured in the		
		Purchaser's Country - COLUMN 10 - Should the		
		VAT be included?		
		- Price and Completion Schedule - Related Services		

	COLUMN 7 - Should the VAT be included?		
6.	Regarding "Letter of Bid", (e) - Should the total price include VAT or not?	The total price should be presented VAT included.	No
7.	Requirements a) (i) Financial Capability - The		No
8.	Regarding ITB 36.1 - Post qualification Requirements a) (i) Financial Capability AND a (ii) Experience and Technical Capacity AND (b) I Bidder is not manufacturer: Given that the Bidder is not manufacturer, will it be accepted if the Bidder (not the Manufacturer) the above qualifications (i) and (ii) because:	following clarification: If Bidder is not manufacturer: If a Bidder is not a manufacturer, but is offering the Goods on behalf of the Manufacturer under Manufacturer's Authorization Form (Section IV, Bidding Forms), the	Yes

		-if we use 5 different Manufacturers, each one of	(iii) and the Bidder and Manufacturer/s shall demonstrate	
		them should meet the 1,000,000 Euro cash-flow	together the above qualifications (i) and (ii).	
		requirement		
		-the Manufactures of the measurement devices,		
		laboratory equipment, pumps, flowmeters, and		
		valves are distinct. Each of them can provide		
		experience only in their area of production. Some		
		of them do not dismantle and install equipment, but		
		only produce it. This requirement will considerably		
		shorten the list of potential manufacturers.		
9.	Section III.	Regarding ITB 36.1 – Post qualification	Yes, or relevant certificate, letter of recommendation or	No
	Evaluation and		similar has been issued for the contract for similar works,	
	Qualification	of Acceptance of Construction Works" be	supply, dismantling and installation. A contract shall be	
	Criteria	T I I I I I I I I I I I I I I I I I I I	considered similar if proving successful experience in	
			Supply and Installation of equipment for potable water	
			pumping station or waste water pumping station or potable	
			water treatment plant or waste water treatment plant	
			(Section III. Evaluation and Qualification Criteria)	
10.		Please give us more details for the requirements of	The information for subcontractor/s has to be provided by	No
			filling in the form "Bidder's JV Members Information	
			Form" where the "JV Member" has to be replaced by	
		offer and fore vant forms that should asc.	"Subcontractor" in order to be met the requirements under	
			ITB 4.3 and ITB 4.5. The Bidder declares in the Letter of	
			Bid the absence of circumstances according with ITB 4.3	
			and ITB 4.5.	
			min 112 1.0.	

11.		What kind of document should be submitted by the	See answer to question No 10.	No
		subcontractor with the offer?		